2021 JUN 24 PM 12: 50



2020 CERTIFICATION

Consumer Confidence Report (CCR)

CITY OF GREENVILLE

Public Water System Name

MS 0760004

List PWS ID #s for all Community Water Systems included in this CCR

The Federal Safe Drinking Water Act (SDWA) requires each Community Public Water System (PWS) to develop and distribute a Cons

Confidence Report (CCR) to its customers each year. Depending on the the customers, published in a newspaper of local circulation, or proving procedures when distributing the CCR.	e population served by the PWS, this C	CR must be mailed or delivered to
	heck all boxes that apply.)	
INDIRECT DELIVERY METHODS (Attach aday at protocolon, we	tër bill ar attëri	DATE ISSUED
□ Advertisement in local paper (Attach copy of advertisement)		
□ On water bills (Attach copy of bill)		
□ Email message (Email the message to the address below)		
□ Other		
DIRECT DELIMERY METHOD Wheat way of publication was	oll or oliver,	DAJIÉ ISSUED
∡ Distributed via U. S. Postal Mail		JUNE 16, 2021
□ Distributed via E-Mail as a URL (Provide Direct URL):		
□ Distributed via E-Mail as an attachment		
□ Distributed via E-Mail as text within the body of email message		
□ Published in local newspaper (attach copy of published CCR or	proof of publication)	
□ Posted in public places (attach list of locations)		
□ Posted online at the following address (Provide Direct URL):		
I hereby certify that the CCR has been distributed to the customer above and that I used distribution methods allowed by the SDWA and correct and is consistent with the water quality monitoring day. Water Supply. Name Milton Kearney	ers of this public water system in t . I further certify that the information	on included in this CCR is true
SUBMISSION OPTIONS (54.0
You must email, fax (not preferred), or mail a c	opy of the CCR and Certification	to the MSDH.
Mail: (U.S. Postal Service) MSDH, Bureau of Public Water Supply P.O. Box 1700	Email: water.reports@msdh.ms.c	(NOT PREFERRED)

Jackson, MS 39215

City of Greenville 2020 Drinking Water Quality Report City of Greenville (PWS ID# 0760004)

Spanish (Espanol)

Este informe contiene information muy importante sobre la calidad de su agua potable. Por favor lea este infore o comuniquese con alguien que pueda traducer la informacion.

Is my water safe?

Our Quality Assurance personnel collected approximately 700 individual samples from locations throughout the city during 2020. These samples were submitted to and tested by the Mississippi State Department of Health. This report is a snapshot of last year's water quality. Included are details about where your water comes from, what it contains, and how it compares to standards set by regulatory agencies. We are committed to providing you with this information because informed customers are our best allies.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immune-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Water Drinking Hotline (800-426-4791).

Where does my water come from?

Our water comes from twelve wells located throughout the city. All of these wells draw water from the Cockfield Aquifer at a depth of approximately 600 feet. All are interconnected through approximately 250 miles of large diameter distribution pipes. The distribution piping includes cast iron, ductile iron, galvanized steel, and Polyvinylchloride. We chlorinate and fluoridate the ground water prior to its injection into the distribution system at all well sites. At this time no other treatment is required under the Safe Drinking Water Act.

How much water is produced by the water system dally?

The combined total production of the water system varies with demand. The theoretical maximum production capacity is 22,320,000 gallons per day. A typical daily production is 7,500,000 gallons per day.

Why is our water brown?

The Cockfield aquifer includes strata of prehistoric plant material that the water must travel through to reach our wells. These strata release tannins into the water in the form of dissolved solids. These solids are bound to the water molecules. This makes the color extremely difficult to remove.

Can the color be filtered out?

Customers can filter some of the color out with whole-house filters. These filters utilize activated carbon, zeolites, and/or other naturally occurring minerals. The City has investigated the feasibility of utilizing a variety of technologies to remove the color from the water. The capital cost of installing treatment systems at each well range from \$2.0 - \$2.7 million per well.

Source water assessment and its availability:

Our source water assessment has been completed by the Mississippi State Department of Health. The report is available for review at the Office of the Public Works Director.

Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency=s Safe Drinking water Hotline (800-426-4791). The sources of drinking water (both tap and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity:

Microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agricultural, urban storm-water runoff, and residential uses; organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm-water runoff, and septic systems; and radioactive contaminants, which can be naturally occurring or be the results of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

How can I get involved?

Our city council conducts its meetings on the first and third Tuesday of each month at 4:00 p.m. We encourage all citizens who have any questions or concerns regarding their water service or other public services that the city provides to meet with us. We ask that customers who have questions concerning their water bills or regarding disruptions in service to please first contact the City of Greenville Water Department at 378-1580. For other technical concerns as to water quality utilize the telephone numbers listed below. You may also e-mail any comments or questions to us at mixture of greenvillens, etc.

How Does Our Water Compare to Others?

For 2020 the City of Greenville Water System scored a 4.0 out of 5.0 on its Annual Sanitary Survey conducted by the Mississippi Department of Health

Other information:

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", the City of Greenville is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year in which average fluoride sample results were within the optimal range of 0.6 – 1.2 ppm was 11. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.6 – 1.2 ppm was 77%. For general information about the City of Greenville, you can view our home page on the internet at http://www.greenvillems.org. Or you may want additional information about your drinking water. You may contact our certified waterworks operators listed below or you may prefer to log on to the Internet and obtain specific information about your system and its compliance history at the following address:

http://www.msdh.stato.ms.us/watersupply/index.htm

Information including current and past boil water notices, compliance and reporting violations, and other information pertaining to your water supply including "Why, When, and How to Boil Your Drinking Water" and "Flooding and Safe Drinking Water" may be obtained.

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. City of Greenville is responsible for providing high quality drinking water, but cannot control the variety of materials used in home plumbing components, primarily found in buildings constructed before 1986. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. You can also insist that your plumber use only Lead Free fixtures, pipes, and solders.

Water Quality Data Table

		• •	atti	Qua	HILY	Data	Iable	
Contaminants	MCLG or MRDLG	MCL, TT, or MRDL	Your Water	Ra Low	inge	Sample	Vistation	Total Course
Disinfectants & Disinfection)	-	MINDL	TY ALC:	Low	High	<u>Date</u>	Violation	Typical Source
(There is convincing evidence that	addition of a disi	infectant is nece	asary for contro	ol of microbi	ial contami	nants.)		
Haloacetic Acids (HAA5) (ppb)	NA	60	Average 27.0	10	58	2020	No	By-product of drinking water chlorination
TTHMs [Total Trihalomethanes] (ppb)	NA	80	Average 65	19,6	100_8	2020	No	By-product of drinking water disinfection
Chlorine (CL2) (ppm)	4.0	4.0	Average 0,20	0.09	1.10	2020	No	Chlorine is classified as a contaminant but is added to the water for disinfection purposes.
Inorganic Contaminants								
Antimony (ppb)	6	6	<0.005	NA		2019	No	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder: test addition
Arsenic (ppb)	0	10	<0,001	NA		2019		Erosion of natural deposits: Runoff from orchards; Runoff from glass and electronics production wastes
Asbestos (MFL)	7	7	ND					Decay of asbestos cement water mains; Erosion of natura deposits
Barium (ppm)	2	2	0,0130	NA		2019	No	Erosion of natural deposits
Cadmium (ppb)	5	5	<0,005	NA		2019	No	Corrosion of galvanized pipes, Erosion of natural deposit
Chromium (ppb)	100	100	0.0005	NA		2019	No	Erosion of natural deposits
Fluoride (ppm)	4	.4	0.58	0,6	1,20	2020	No	Erosion of natural deposits,
Mercury [Inorganic] (ppb)	2	2	0,0005	NA		2019	No	Erosion of natural deposits
Nitrate [measured as Nitrogen] (ppm)	10	10	0,08	NA		2020	No	Erosion of natural deposits
Nitrite [measured as Nitrogen] (ppm)	1	1)	0,02	ND	0.02	2020	No	Erosion of natural deposits
Selenium (ppb)	50	50	0.05	NA		2019	No	Erosion of natural deposits
Radium 226			0,35	ND	0.046	2019	No	Erosion of natural deposits
Gross Alpha, INCL Radon			3,05	ND	2,60	2019	No	Erosion of natural deposits
Copper - action level at consumer laps (ppm)	1,3	1,3	0.20	2020		0	No	Corrosion of household plumbing systems; Erosion of natural deposits
Lead - action level at consumer taps (ppm)	0	0.015	0,003	2020		0	No	Corrosion of household plumbing systems; Erosion of natural deposits
Unit Descriptions								
<u> Term</u>		Definition						
Ppm		ppm: parts p	er million, or n	nilligrams p	er liter (mg/	L)		
Ppb		ppb: parts pe	er billion, or mi	icrograms pe	er liter (µg/l	L)		
MFL		MFL: millio	n fibers per lite	er, used to m	easure asbe	slos concentrati	on	
NA		NA: not app	licable					
ND		ND: Not det						
NR		NR: Monito	ring not require	ed, but recon	nmended.			
Important Drinking Water Defini	tions	1 5 5						
<u>Term</u>		Definition						
MCLG		health, MCL	.Gs allow for a	margin of sa	afety.			water below which there is no known or expected risk to
MCL		MCL: Maxii as feasible u	mum Contamin sing the best av	nant Level: T vailable treat	he highest ment techn	level of a contar ology	minant that is allo	wed in drinking water, MCLs are set as close to the MCLGs
TT		TT: Treatme	nt Technique:	A required p	rocess inter	nded to reduce t	he level of a conta	minant in drinking water
AL		follow						reatment or other requirements which a water system must
Variances and Exemptions		Variances at	d Exemptions:	State or EP.	A permission	on not to meet at	n MCL or a treatm	nent technique under certain conditions.
MRDLG		MRDLG: M health_MRD	aximum residu LGs do not ref	al disinfection	on level gos efits of the i	al, The level of a use of disinfecta	a drinking water d ints to control mic	isinfectant below which there is no known or expected risk trobial contaminants.
MRDL		addition of a	disinfectant is	necessary fo	level. The	highest level of f microbial cont	a disinfectant allo aminants	wed in drinking water. There is convincing evidence that
MNR		MNR: Moni	tored Not Regu	ılated				
MPI		I KATH - Ctoto	Accommod Manua	Damela	This Percent			

				UNREG	ULATED	CONTAIL	MENTS	
	MRDLG	MRDL	Water	Low	High	Date	Violation	Typical Source
Disinfectants & Disinfection I	By-Products						200	
(There is convincing evidence t Total Trihalomethanes (TTHM. problems with their liver, kidne Sodium monitoring results for t	s) and Haloacetic aci ey or central nervous	ds (HAA5). Sor systems, and m	nc people who ay have increas	drink water sed risk of g	containing tri etting cancer	halomethanes		ds in excess of the MCL over many years may experience
Manganese			9.3	0,61	9,3ug/L	2019	No	Likely source is Naturally occurring elements (used in steel production, fertilizer, batteries, and fireworks;
			9.3 1790	0,61	9,3ug/L 1790ug/L	2019	No No	
Manganese Bromide Fotal Organic Carbon				//51				steel production, fertilizer, batteries, and fireworks;
Bromide Fotal Organic Carbon			1790	261	1790ug/L	2019	No	steel production, fertilizer, batteries, and fireworks; Likely source is Naturally occurring
Bromide			1790 1340	261 1160	1790ug/L 1340ug/L	2019 2019	No No	steel production, fertilizer, batteries, and fireworks; Likely source is Naturally occurring Likely source is Naturally occurring

Unregulated contaminants are those for which EPA has not established drinking water standards. The purpose on unregulated contaminant monitoring is to assist EPA in determining the occurrence of unregulated contaminants in drinking water and whether future regulation is warranted.